



TOUCH SWITCH.



Created in India
by iotics.io

Tempered Glass

A thoughtfully designed tempered glass panel with rounded edges that is twice as strong as normal glass, withstands high level of heat and is safe to use. It resists smudges and allows for easy removal of fingerprint grease. The glass panel cleans very easily, keeping it looking brand new.



Scratch Proof



Easy to clean



Heat Resistant



Damp Proof

Mobile App

Use our mobile app to control your lights and fans from anywhere. Wherever you go, your home is in your control.

Features

- Easy Setup
- Intuitive Interface
- Scheduled On/Off



Remote Control

Traditional remote control provides maximum convenience in controlling your switches.






Voice Control

Our Touch Switch allows you to use Amazon Alexa or Google Home to control your devices using voice control. Group and name your devices as per your convenience to control multiple devices at once.

Features

- Device Grouping
- Routine Setup

Touch Switch 3S1F



Gang : 4 (3 Switches and 1 Fan)

Available Colours : Black & White

Remote distance : 7 meters

Features



Easy to Install



Touch Sense



Remote Control



App Control



Schedule Control



Voice Control

Technical Details

Product SKU	- IO-3S1F-SPRN-01-BK (Black) - IO-3S1F-SPRN-01-WH (White)
Power Source	- AC 240V 50Hz
Gang	- 4 (3 Switches and 1 Fan)
Max Load (Per Switch)	- GLS bulbs Max.1000W Halogen lamps Max.200W LED & CFL Max.40W
Max Load (Fan)	- Max.100W
Self Consumption	- ~1.6W
Wireless Standard	- IEEE 802.11 b/g/n
Operating Temp	- -10°C to +55°C
Product Dimension	- 88mm x 149mm x 43mm
Enclosure Material	- ABS Plastic
Net Weight	- 0.33kg



Customised Colours
*based on minimum order quantity

Supported Loads



Max.1000W



Max.40W



Max.40W



Max.100W

Note : 4 module metal box is required.

Metal Box Size : 78mm x 135mm x 50mm

